

**Annex A**  
(normative)

**Prohibited Substances Included in Analytical Test Method**

Substances on this list may be modified based on continued method expansion and validation. In addition, changes may be made to reflect updates in the prohibited substance lists of applicable athletic associations.

**Stimulants (10 ng/g)** <sup>Note 1</sup>

Adrafinil	Fencamfamine	Octopamine
2-Aminoheptane	Fenetylline	Oxethazaine
6-Amino-2-methyl-heptanol	Fenfluramine	Pemoline
Amfepramone (Diethylpropion)	Fenproporex	Pentylentetrazole
Amphetamine	Mazindol	Phenpentermine
Benzphetamine	Mefenorex	Phentermine
Benzylpiperazine	Mephentermine	Phendimetrazine
p-Chloroamphetamine	Methamphetamine	Phenmetrazine
Cathine	Methylenedioxyamphetamine	Phenylpropanolamine
Chlorphentermine	Methylenedioxymethamphetamine	Propylhexedrine
Cocaine	Methylephedrine	Pseudoephedrine
Dimethylamphetamine	Methylhexanamine	Selegiline (Deprenyl)
Ephedrine	Methylphenidate	Sibutramine
Etamivan	Methylsynephrine (Oxilofrine)	Strychnine
Ethylamphetamine	Modafinil	Synephrine
Famprofazone	Norfenfluramine	

**Narcotics (10 ng/g)** <sup>Note 1</sup>

Codeine	Morphine	
Marijuana (delta-9-THC)	Phencyclidine (PCP)	

**Anabolic Agents (10 ng/g)** <sup>Note 1</sup>

Androstenediol	Dehydroepiandrosterone (DHEA)	Mibolerone
5 $\alpha$ -Androstan-3 $\alpha$ ,17 $\alpha$ -diol	Dihydrotestosterone (Stanolone)	Nandrolone
5 $\alpha$ -Androstan-3 $\alpha$ ,17 $\beta$ -diol	Drostanolone	19-Norandrostenedione
5 $\alpha$ -Androstan-3 $\beta$ ,17 $\alpha$ -diol	Estra-4,9-diene-3,17-dione	19-Norandrosterone
5 $\alpha$ -Androstan-3 $\beta$ ,17 $\beta$ -diol	Estra-4,9,11-triene-3,17-dione	Norbolethone

**Anabolic Agents (10 ng/g) (cont)** <sup>Note 1</sup>

1-Androstendiol	Ethylestrenol	Norclostebol
1-Androstendione	Fluoxymesterone	Norethandrolone
4-Androsten-3 $\alpha$ , 17 $\beta$ -diol	Formebolone	Oxandrolone
4-Androsten-3 $\beta$ , 17 $\alpha$ -diol	Furazabol	Oxymesterone
5-Androsten-3, 17-dione	Gestrinone	Oxymetholone
5-Androsten-3 $\beta$ , 17 $\alpha$ -diol	4-Hydroxytestosterone	Progesterone
4-Androstenediol	17-Hydroxyprogesterone	Prostanazol
4-Androstenedione	Mestanolone	Stanozolol
Androsterone	Mesterolone	Stenbolone
Bolandiol (19-Norandrostenediol)	Methandienone	1-Testosterone
Bolasterone	Methandriol	Testosterone
Boldenone	Methenolone	Tetrahydrogestrinone
Boldione (Androstadienedione)	17 $\alpha$ -Methylclostebol	Tibolone
Calusterone	Methylnortestosterone	Trenbolone
Clostebol	Methyltestosterone	Turinabol-oral
Danazol	Methyltrienolone	Zeranol(alpha-Zearalanol)

**Diuretics (20 ng/g)** <sup>Note 1</sup>

Acetazolamide	Cyclothiazide	Metolazone
Amiloride	Ethacrynic Acid	Polythiazide
Bendroflumethiazide	Furosemide	Quinethazone
Benzthiazide	Hydrochlorothiazide	Spirolactone
Bumetanide	Hydroflumethiazide	Triamterene
Chlorthalidone	Indapamide	Trichloromethiazide
Chlorthiazide	Methylchlothiazide	

**Beta-2 Agonists (10 ng/g)** <sup>Note 1</sup>

Bambuterol	Fenoterol	Salbutamol
Brombuterol	Formoterol	Salmeterol
Clenbuterol	Procaterol	Terbutaline

**Masking agents (10 ng/g)** <sup>Note 1</sup>

Epitestosterone	Probenecid	
Finasteride		

### Hormone Antagonists (10 ng/g)<sup>Note 1</sup>

Aminoglutethimide	Clomiphene	Raloxifene
Androsta-1,4,6-triene-17 $\beta$ -ol-3-one	Cyclofenil	Tamoxifen
Androsta-1,4,6-triene-3,17-dione	Formestane	Testolactone
4-Androsten-3, 6,17-trione	Fulvestrant	

*Note 1* Suggested detection limits are based on available methodology and sample matrix. Efforts will be made to achieve the lowest detection limits feasible, however, it may be necessary to modify detection limits for specific matrices. When analysis of the finished product does not allow for the achievement of the detection level necessary to ensure the protection of an athlete, a human exposure feeding study may be performed followed by analysis of the urine. If this option is taken, the detection limits in the urine sample shall meet World Anti-Doping Agency requirements.